

38, Reydovaya str., Kirov 8 (912) 826-37-99 info@brevenburg.ru brevenburg.ru



OUR PRODUCTS:



In-house manufacture of Ø180-320 mm rounded log capacity up to 1200 m3 per month. Various profiled logs using rotary lathes



Our Ø200-320 mm milled round log with selectively flattened sides, one or both at choice, but with a round profile near round notches



Chamber drying to a moisture content of 16-20% throughout the batch: saved 1-2 years, protection against biological damage, cheaper logistics, strength improvement



Log houses and bath houses with round notch style, dovetailed connection, with Canadian joint, Norwegian warm corner, post&beam, double-beam.
Own teams, production site



We prepare prefabricated houses
with our own timber
strictly in accordance with GOST 8486-86.
Line based on imported
machine Mebor HTZ1200 SPP+

OUR SERVICES:



Bespoke and standard design of woodenbuildings by experts with appropriate qualifications using licensed software



Own teams for the assembly of log cabins, arrangement various types of foundations and roofs, installation of utility systems and finishing



Dispatching services for finding and hiring suitable vehicles, as well as preparing the necessary documents for export and customs clearance

OUR MILLED ROUND LOG STANDART IS:




Sorting by quality and selection by grades according to GOST 9463-88



Flattened surfaces all-round openings for window and door surrounds, grooves for casing boxes












High quality processing, no workpieces curvature, diameter calibration



In the calculations we use volume of log that is used in the walls, and not in production according to the cutting chart



The contract not only stipulates the terms of shipping, but also strict requirements for product quality.



Considering the volume, direction, approach roads, unloading method and saving



Free loading by crane or by hand at our production site



Possibility of short-term careful storage until shipment

CHAMBER LOGS DRYING TO A MOISTURE CONTENT OF 16-20%



Construction using dry logs — saved 1-2 years.

No need to wait for natural drying for interior and exterior decoration of the house.

Immediate decoration possible!

Logistics is up to 30% cheaper due to lower weight.

The transport of 20 tons of dry logs includes 45 m³ against 32 m³ of natural moisture.

Also even lighter in weight log is physically easier to install.

The low moisture content at 16-20% protects against biological damage. No risk of fungus inside a closed log house.

In addition, the log gains strength during drying.

EDGED LOG — EXCLUSIVE AND TRADITIONS



Edged log is our milled round log that has undergone additional processing, during which the sides (one or two at the choice of the Customer) are selectively flattened.

Near round notches of logs profile remains round, which contributes to proper shrinkage and preserves the aesthetics of wooden housing construction.

Such a log has a number of advantages. Cheaper and easier to polish up and paint. Simplified installation engineering and wiring. Convenient furniture arrangement, increase in usable area.

Reduced dust accumulation area.

And, of course, exclusive look!

ANY DOUBTS LEFT? LET US ASSURE YOU:



Innovation and development

Since 2005, we have been evolving woodworking, developing new options and unique products: edged logs, chamber dried logs, flat support timber set, grooves and flattened surfaces

WE'RE ON SOCIAL MEDIA:











